

## Kitemark™ Certificate

This is to certify that:

Rehau Limited  
Hill Court  
Walford  
Ross-on-Wye  
HR9 5QN  
United Kingdom

Holds Certificate Number:

KM 13358

In respect of:

**BS EN 12608**  
**PVC-U Profiles for the fabrication of windows and doors**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:



Chris Lewis - Certification Director, Product Certification

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07



003

Page: 1 of 18

...making excellence a habit.™

# Kitemark™ Certificate

No. KM 13358

## **BS EN 12608: 2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.**

This Certificate covers the following window system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. Profiles extruded at Blaenau Plastics Limited, Tanygrisiau, Blaenau Ffestiniog, LL41 3RY

<b>System(s):</b>	<b>REHAU Total 70 Window System</b>
<b>Material References:</b>	<b>PVC-U:</b> RAU PVC 1406 <b>Gaskets/ Weatherstrips:</b> TPE, Q-Lon 9107, Fomasil TPE4058, EPDM,
<b>Fabrication and Installation:</b>	Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s): REHAU Total 70 Technical and manufacturing manuals and the REHAU Total 70 approved Articles List
<b>Fabrication Options:</b>	Welded or mechanically fixed transoms/mullions, tee and/or cruciform joints
<b>Hardware Options:</b>	Dependent on window type from approved hardware list
<b>Glazing Options:</b>	Double or triple glazed Internally or externally glazed
<b>Ventilation:</b>	None
<b>Window Types:</b>	Projecting windows Tilt and turn windows Fully reversible windows Horizontally pivoted windows Fixed windows Multilight windows consisting of opening light(s) with or without fixed light(s)

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 2 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU Total 70 Window System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009 (except *)
Top hungs Unreinforced	1200	1200	-	-	3	E1050	E2400	2400
	1200	600			4	E1050	E2400	2400
Top hungs reinforced	1200	1200	-	-	3	E1050	E2400	2400
	1300	1000			4	E1050	4	1600
Side hungs Unreinforced	1200	1200	-	-	3	E1050	E2400	2400
	600	1200			4	E1050	E2400	2400
Side hungs reinforced	1200	1200	-	-	3	E1050	E2400	2400
	1000	1300			4	E1000	4	1600
Tilt/Turns Unreinforced	1200	1200			4	E900	E2400	2400
Tilt/Turns Fully reinforced	1288	1588	-	-	3	7A	3	1600
Fully reversibles Unreinforced	1400	1400			4	E1050	E2400	2400
Horizontal pivots	1460	1460	-	-	-	-	-	2800 Special*

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 3 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics (continued) REHAU Total 70 Window System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009 (except *)
Fixeds	2400	2400	8000	-	3	9A	5	2000
Multilights - Welded joint 261748 T/M	2440	2440	7320	1220	-	-	-	2400 Special*
Multilights 261948 T/<	1600	1600	5600	1200	-	-	-	2800 Special*
Multilights 261948 T/M	2440	2440	7320	1220	-	-	-	2400 Special*
Multilights - Welded joint 261738 T/M	2500	2500	8180	1590	-	-	-	2000 Special*
Multilights - Mechanical joint 261738 T/M	1800	1800	6800	1800	-	-	-	2400 Special*
Multilights - Welded joint 264454 T/M	2440	2440	7320	1220	-	-	-	2400 Special*
Multilights Fully reinforced	3000	1388	8776	1348	4	E1000	4	1600
Multilights 261748 T/M	1200	1200	4800	1145	2	9A	5	2000
Multilight 287796 T/M	1488	1488	5416	1220	4	E1050	4	2400

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 4 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 13358

## **BS EN 12608: 2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.**

This Certificate covers the following window system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. Profiles extruded at Blaenau Plastics Limited, Tanygrisiau, Blaenau Ffestiniog, LL41 3RY

**System(s):** REHAU S 719 (Heritage)Tilt Sash Vertically Sliding PVC-U Window System

**Material References:** **PVC-U:** RAU PVC 1406  
**Gaskets/ Weatherstrips:** TPE, Q-Lon 9107, Fomasil TPE4058, EPDM,

**Fabrication and Installation:** Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s):  
REHAU S 719 Technical and manufacturing manuals and the REHAU S719 approved Articles List

**Fabrication Options:** Welded or mechanically fixed transoms/mullions, tee and/or cruciform joints

**Hardware Options:** Multipoint locking

**Glazing Options:** Double or triple glazed  
Internally glazed

**Ventilation:** None

**Window Types:** Vertically sliding Windows

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 5 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU S 719 Tilt Sash Vertically Sliding PVC-U Window System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Vertical Sliders	1120	1850	-	-	2	E750	5	2000

First Issued: 1991-11-18  
Latest Issue: 2018-03-08

Effective Date: 2018-03-08  
Expiry Date: 2021-03-07

Page: 6 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 13358

## **BS EN 12608: 2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.**

This Certificate covers the following window system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. Profiles extruded at Blaenau Plastics Limited, Tanygrisiau, Blaenau Ffestiniog, LL41 3RY

<b>System(s):</b>	<b>REHAU GENE0 Window System</b>
<b>Material References:</b>	<b>PVC-U:</b> RAU PVC 1406 <b>Gaskets/ Weatherstrips:</b> TPE, Q-Lon 9107, Fomasil TPE4058, EPDM,
<b>Fabrication and Installation:</b>	Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s):  REHAU GENE0 Technical and manufacturing manuals and the REHAU GENE0 approved Articles List
<b>Fabrication Options:</b>	Welded or transoms/mullions, tee and/or cruciform joints
<b>Hardware Options:</b>	Multipoint locking
<b>Glazing Options:</b>	Double or triple glazed Internally glazed
<b>Ventilation:</b>	None
<b>Window Types:</b>	Tilt/Turn Window Fixed Window

First Issued: 1991-11-18  
Latest Issue: 2018-03-08

Effective Date: 2018-03-08  
Expiry Date: 2021-03-07

Page: 7 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU GENE0 PVC-U Window System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Tilt/Turn	1400	1400	-	-	4	9A	E2400	2400
Fixed	1400	1400	3740		4	9A	E2400	2400

First Issued: 1991-11-18  
Latest Issue: 2018-03-08

Effective Date: 2018-03-08  
Expiry Date: 2021-03-07

Page: 8 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.



# Kitemark™ Certificate

No. KM 13358

## **BS EN 12608: 2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.**

This Certificate covers the following window system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. Profiles extruded at Blaenau Plastics Limited, Tanygrisiau, Blaenau Ffestiniog, LL41 3RY

<b>System(s):</b>	<b>REHAU Nordic Plus Window System</b>
<b>Material References:</b>	<b>PVC-U:</b> RAU PVC 1406 <b>Gaskets/ Weatherstrips:</b> TPE, Q-Lon 9107, Fomasil TPE4058, EPDM,
<b>Fabrication and Installation:</b>	Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s): REHAU Nordic Plus Technical and manufacturing manuals and the REHAU Nordic Plus approved Articles List
<b>Fabrication Options:</b>	Welded or transoms/mullions, tee and/or cruciform joints
<b>Hardware Options:</b>	Multipoint locking
<b>Glazing Options:</b>	Double or triple glazed Internally glazed
<b>Ventilation:</b>	None
<b>Window Types:</b>	Projecting windows Fixed windows Multilight windows consisting of opening light(s) with or without fixed light(s)

First Issued: 1991-11-18  
Latest Issue: 2018-03-08

Effective Date: 2018-03-08  
Expiry Date: 2021-03-07

Page: 9 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU Nordic Plus PVC-U Window System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Side Hung	860	1545	-	-	4	9A	E2400	2400
Fixed	1545	1545	4810		4	9A	E2400	2400
Multilights T/M 534021	1800	1600	-	1545	4	9A	E2400	2400

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 10 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 13358

## **BS EN 12608: 2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.**

This Certificate covers the following window system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. Profiles extruded at Blaenau Plastics Limited, Tanygrisiau, Blaenau Ffestiniog, LL41 3RY

<b>System(s):</b>	<b>REHAU Calibre Window System</b>
<b>Material</b>	<b>PVC-U: RAU PVC 1406</b>
<b>References:</b>	<b>Gaskets/ Weatherstrips:</b> TPE, Q-Lon 9107, Fomasil TPE4058, EPDM.
<b>Fabrication and Installation:</b>	Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s):  REHAU Calibre Technical and manufacturing manuals and the REHAU Calibre approved Articles List
<b>System description:</b>	The windows are double or triple glazed, internally beaded, multipoint locking, with welded transoms/mullions, tee and/or cruciform joints
<b>Ventilation:</b>	None
<b>Window Types:</b>	Projecting windows including Flush Sash Fixed windows Multilight windows consisting of opening light(s) with or without fixed light(s)

First Issued: 1991-11-18  
Latest Issue: 2018-03-08

Effective Date: 2018-03-08  
Expiry Date: 2021-03-07

Page: 11 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU Calibre Window System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Projecting top hungs	1200	560	-	-	4	8A	C5	2000
Top hungs Flush Sash	1200	560	-	-	4	8A	C5	2000
Projecting side hungs	560	1200	-	-	4	8A	C5	2000
Side hungs flush Sash	560	1200	-	-	4	8A	C5	2000
Fixeds	1200	1200	3520	-	4	8A	C5	2000
Multilights 216510 reinforced	1200	1200	4690	1145	4	8A	C5	2000

First Issued: 1991-11-18  
Latest Issue: 2018-03-08

Effective Date: 2018-03-08  
Expiry Date: 2021-03-07

Page: 12 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 13358

## **BS EN 12608: 2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.**

This Certificate covers the following window system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. Profiles extruded at Blaenau Plastics Limited, Tanygrisiau, Blaenau Ffestiniog, LL41 3RY

<b>System(s):</b>	<b>REHAU Tritec- 60mm Window and Door System</b>
<b>Material References:</b>	<b>PVC-U:</b> RAU PVC 1406 <b>Gaskets/ Weatherstrips:</b> TPE, Q-Lon 9107, Fomasil TPE4058, EPDM.
<b>Fabrication and Installation:</b>	Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s):  REHAU Tritec 60mm Window System Technical Manual and the REHAU Tritec approved Articles List
<b>Fabrication Options:</b>	Welded or mechanically fixed transoms/mullions, tee and/or cruciform joints
<b>Hardware Options:</b>	Single or multipoint locking (dependent on window type)
<b>Glazing Options:</b>	Double glazed only Internally or externally glazed (dependent on window type)
<b>Ventilation:</b>	None
<b>Window Types:</b>	Projecting windows Tilt and turn windows Fixed windows Multilight windows consisting of opening light(s) with or without fixed light(s)

First Issued: 1991-11-18  
Latest Issue: 2018-03-08

Effective Date: 2018-03-08  
Expiry Date: 2021-03-07

Page: 13 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU Tritec-Style 60mm Window and Door System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009 (except *)
Top hungs Part reinforced	900	1270	-	-	-	-	-	2400 Special*
Top hungs Part reinforced	1200	1270	-	-	-	-	-	2400 Special*
Top hungs reinforced	1394	1000	-	-	4	E750	4	1600
Top hungs Unreinforced	1200	600	-	-	4	9A	E2400	2400
Side hungs* Part reinforced	900	1270	-	-	-	-	-	2400 special
Side hungs* Fully reinforced	900	1600	-	-	-	-	-	2400 special
Side hungs reinforced	1000	1394	-	-	4	E750	4	1600
Side hungs Unreinforced	600	1200	-	-	4	9A	E2400	2400
Tilt/turns reinforced	1068	1368	-	-	2	5A	4	1600
Tilt/turns reinforced	1220	1220	-	-	4	8	E2400	2400
Fixed	3000	3000	10000	-	3	9A	5	2000
Multilight* Unreinforced	2630	2630	7660	1200	-	-	-	2000 Special

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 14 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU S 703 Tritec-Style 60mm Window and Door System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009 (except *)
Multilights 233721 reinforced	2630	2630	7660	1200	-	-	-	2000 Special*
Multilights 233711 reinforced	3000	3000	8400	1200	-	-	-	1600 Special*
Multilights 233641 reinforced	3000	3000	9200	1600	-	-	-	1600 Special*
Multilights 250219 reinforced	1500	1500	5500	1250	-	-	-	2400 Special*
Multilights 287798 reinforced	2700	2700	8136	1368	2	5A	4	1600
Multilight 287798 reinforced	1200	1200	4800	1200	4	9A	E2400	2400

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 15 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 13358

## **BS EN 12608: 2016 Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors.**

This Certificate covers the following window system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed. Profiles extruded at Blaenau Plastics Limited, Tanygrisiau, Blaenau Ffestiniog, LL41 3RY

<b>System(s):</b>	<b>REHAU Tritec- 60mm Window and Door System</b>
<b>Material References:</b>	<b>PVC-U:</b> RAU PVC 1406 <b>Gaskets/ Weatherstrips:</b> Vitaprene TPE, Q-Lon 9107, Fomasil TPE4058, Savatach EPDM, , Trelleborg Co-extruded Cellular
<b>Fabrication and Installation:</b>	Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s):  REHAU Tritec 60mm Window System Technical Manual and the REHAU S703 approved Articles List
<b>Fabrication Options:</b>	Welded or mechanically fixed transoms/mullions, tee and/or cruciform joints
<b>Hardware Options:</b>	Single or multipoint locking (dependent on window type)
<b>Glazing Options:</b>	Double glazed only Internally or externally glazed (dependent on window type)
<b>Ventilation:</b>	None
<b>Window Types:</b>	Projecting windows Tilt and turn windows Fixed windows Multilight windows consisting of opening light(s) with or without fixed light(s)

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 16 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.



# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU Tritec-Style 60mm Window and Door System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009 (except *)
Top hungs Part reinforced	900	1270	-	-	-	-	-	2400 Special*
Top hungs Part reinforced	1200	1270	-	-	-	-	-	2400 Special*
Top hungs reinforced	1394	1000	-	-	4	E750	4	1600
Top hungs Unreinforced	1200	600	-	-	4	9A	E2400	2400
Side hungs* Part reinforced	900	1270	-	-	-	-	-	2400 special
Side hungs* Fully reinforced	900	1600	-	-	-	-	-	2400 special
Side hungs reinforced	1000	1394	-	-	4	E750	4	1600
Side hungs Unreinforced	600	1200	-	-	4	9A	E2400	2400
Tilt/turns reinforced	1068	1368	-	-	2	5A	4	1600
Tilt/turns reinforced	1220	1220	-	-	4	8	E2400	2400
Fixed	3000	3000	10000	-	3	9A	5	2000
Multilights* Unreinforced	2630	2630	7660	1200	-	-	-	2000 Special

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 17 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 13358

## Size Limitations and Performance Characteristics REHAU Tritec-Style 60mm Window and Door System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009 (except *)
Multilights 233721 reinforced	2630	2630	7660	1200	-	-	-	2000 Special*
Multilights 233711 reinforced	3000	3000	8400	1200	-	-	-	1600 Special*
Multilights 233641 reinforced	3000	3000	9200	1600	-	-	-	1600 Special*
Multilights 250219 reinforced	1500	1500	5500	1250	-	-	-	2400 Special*
Multilights 287798 reinforced	2700	2700	8136	1368	2	5A	4	1600
Multilight 287798 reinforced	1200	1200	4800	1200	4	9A	E2400	2400

First Issued: 1991-11-18

Latest Issue: 2018-03-08

Effective Date: 2018-03-08

Expiry Date: 2021-03-07

Page: 18 of 18

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).